



Dell UltraSharp U2417HWi - LED monitor

FHD LED (1920x1080) - 1000:1 - 250 cd/m2 - 8ms - 16.7M - 178/178 - VESA - HDMI

| | |
|-----------------------|---------------|
| Group | Flat Screens |
| Manufacturer | Dell |
| Manufacturer item no. | U2417HWI |
| EAN/UPC | 5397063622122 |
| ITscope item no. | 5086367000 |

Marketing

Improve efficiency

As the worlds first monitor that enables wireless display, plus content editing from two different mobile devices, the Dell UltraSharp 24 Wireless Connect Monitor | U2417HWi redefines business efficiency.

Simplified connectivity: Connect a Windows1 laptop and Android2 smartphone without cables for seamless connectivity.

Easy multitasking: Simultaneously display and edit content from your laptop and smartphone/tablet with a single keyboard and mouse and navigate across both screens with the same mouse.

Seamless transition: Switch smoothly between your smartphone or tablet to your monitor screen and back again.

Built for everyday business situations

Maximize your workday and multitask on the go in multiple ways. Transition between your laptop and smartphone/ tablet and edit with a single keyboard and mouse.

Take notes on your smartphones notepad in your next meeting. Then, sit down at your desk to edit and save changes using your monitors keyboard and mouse. Head to your next appointment and pick up right where you left off on your smartphone.

Work on office applications on your laptop and respond to clients instant messages coming through at the same time on your smartphone by typing a reply on your keyboard.

Designed for superb viewing

Expect a beautiful display with consistent colors and convenient, adjustable features.

Superb clarity and color: A beautiful 23.8-inch Full HD (1920x1080) display ensures consistent clarity from any angle.

Better view: Experience an almost borderless view with an ultrathin bezel and an ultrawide 178°/178° viewing angle.

Fully adjustable: Adjust height, tilt, pivot or swivel for comfortable viewing.
Easy connectivity: HDMI, audio line-out and four USB 3.0 ports make connectivity easy.

Extended details

| Display | |
|--------------------------------------|-----------------------|
| Display diagonal | 60.5 cm (23.8") |
| Display brightness | 250 cd/m ² |
| Display resolution | 1920 x 1080 pixels |
| Response time | 8 ms |
| Display | LED |
| HD type | Full HD |
| Display technology | IPS |
| Supported graphics resolutions | 1920 x 1080 (HD 1080) |
| Contrast ratio (typical) | 1000:1 |
| Viewing angle, horizontal | 178° |
| Viewing angle, vertical | 178° |
| Display number of colours | 16.78 million colours |
| Native aspect ratio | 16:9 |
| 3D | - |
| Display surface | Matt |
| Contrast ratio (dynamic) | 2000000:1 |
| Display diagonal (metric) | 60.47 cm |
| Pixel pitch | 0.275 x 0.275 mm |
| Viewable size, horizontal | 52.7 cm |
| Viewable size, vertical | 29.6 cm |
| Color gamut | 96% |
| Multimedia | |
| Built-in speaker(s) | - |
| Built-in camera | - |
| TV tuner integrated | - |
| Design | |
| Colour of product | Silver |
| Thin Client | |
| Thin client installed | - |
| Networking | |
| Wi-Fi | Ja |
| Ports & interfaces | |
| Built-in USB hub | Ja |
| DVI port | - |
| HDMI ports quantity | 1 |
| USB hub version | USB 3.0 (3.1 Gen 1) |
| USB upstream port type | USB Type-B |
| Number of upstream ports | 1 |
| USB Type-A downstream ports quantity | 4 |
| Ergonomics | |
| Cable lock slot | Ja |

| | |
|-----------------------------------|---------------|
| VESA mounting Height adjustment | Ja |
| On/off switch | Ja |
| VESA mounting interfaces | 100 x 100 mm |
| Swivelling | Ja |
| Tilt adjustment | Ja |
| Tilt angle range | 5 - 21° |
| Pivot | Ja |
| Power | |
| Power consumption (standby) | 3 W |
| Power consumption (typical) | 25 W |
| AC input voltage | 100-240 |
| AC input frequency | 50/60 |
| Power consumption (max) | 60 W |
| Power consumption (off) | 3 W |
| Power consumption (PowerSave) | 18 W |
| Current rating | 1.5 A |
| Operational conditions | |
| Operating temperature (T-T) | 0 - 40 °C |
| Storage temperature (T-T) | -20 - 60 °C |
| Operating relative humidity (H-H) | 10 - 80% |
| Storage relative humidity (H-H) | 5 - 90% |
| Operating altitude | 0 - 5000 m |
| Non-operating altitude | 0 - 12191 m |
| Certificates | |
| Energy Star certified | Ja |
| EPEAT compliance | Gold |
| Certification | TCO, RoHS |
| Weight & dimensions | |
| Width | 539.1 mm |
| Depth | 45.6 mm |
| Height | 321.1 mm |
| Weight | 3.28 kg |
| Width (with stand) | 539.1 mm |
| Depth (with stand) | 185 mm |
| Height (with stand) | 485.8 mm |
| Packaging data | |
| Package weight | 7.66 kg |
| Packaging content | |
| Stand included | Ja |
| Cables included | AC, HDMI, USB |
| Manual | Ja |
| Quick start guide | Ja |